




Nirbo water features are made from high quality stainless steel material, are very durable and have excellent fun factor.

There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

## **Hooked** | 03044


GPM	PSI	LPM	Bar	
20	10	80	0.7	
Width	Length	Height		
10" (25 cm)	55" (140 cm	) 135" (34	2 cm)	








В

Α









В

Ι

	FLOW (5-10 PSI)	LOW	NORMAL	HIGH
GPM-[LPM]		15[60]	20[80]	30[120]

- I- STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
  ANCHOR BOLTS WITH HARDWARE AND FOOTING
  TEMPLATE, NOZZLES, WINTER NOZZLE CAPS, SERVICE
  TOOLS & TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
  MEETS ADA ACCESSIBILITY GUIDELINES
  MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIKBO
AQUATIC INC.




ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)	HOOKED				
2013.10.23					
UNIT	SHEET	DRAWING NO	REV		
N C H [ C M ]	1/2	03044-02-D15	0		

2

В



## NOTES:

A

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

A OLIA TIO INIO	DATE (yyyy.mm.dd) 2018.10.24	SURFACE MOUNTED INSTALLATION, 3" & 4" PIPES		
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	UNIT INCH [mm]	SHEET   /	DRAWING NO 0 3 0 0 8 - 3 3	REV O I

2