


Nirbo water features are made from high quality stainless steel material, are very durable and have excellent fun factor.

There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Water Halo | 03099


PSI	LPM	Bar	
10	48	0.7	
Length	Height	Height	
81" (204 cm)	70" (178	cm)	
	10 Length	10 48	





В

Α




FOR FOOTING DETAILS SEED DRAWING NO: 03008-33 THIS LEG ONLY WATER INLET

> USE 1/2" SS DROP-IN-ANCHORS FOR SURFACE MOUNT (BY NIRBO)

В


1



IMPORTANT:

FINAL GRADE; SURFACE MUST BE FLAT 1/8" [0.3 CM]


BETWEEN TWO LEGS



FLOW RATE AT 5 PSI	LOW	NORMAL	HIGH
GPM-[LPM]	8[32]	12[48]	18[72]

- I- STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
 ANCHOR BOLTS WITH HARDWARE AND FOOTING
 TEMPLATE, NOZZLES, WINTER NOZZLE CAPS, SERVICE
 TOOLS & TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
 MEETS ADA ACCESSIBILITY GUIDELINES
 MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIKBO
AQUATIC INC.



ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.


DATE (yyyy.mm.dd)			
2013.10.23		SURFACE MOUNTED	
UNIT	SHEET	DRAWING NO	REV
INCH			
[M]	1/2	03099-02-DI5	0.1

2

В

A

В



I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.

- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.	IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	DATE (yyyy.mm.dd) 2013.10.21	SURFACE MOUNTED INSTALATION, FOR LOOPS		
		UNIT INCH [CM]	SHEET	DRAWING NO 0 3 0 0 8 - 3 4	REV 0

2

FOOTING