

Nirbo water features are made from high quality stainless steel material, are very durable and have excellent fun factor.


There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.


## Spray ZY Daisy | 03112

PSI	LPM	Bar
10	80	0.7
Length	Height	
57" (145 cm	) 116" (295	cm)
	10 Length	10 80











В

Α






В

1

FLOW (5-10 PSI)	LOW	NORMAL	HIGH
GPM-[LPM]	15[60]	20[80]	30[120]

- I STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
  ANCHOR BOLTS WITH HARDWARE AND FOOTING
  TEMPLATE, NOZZLES, WINTER NOZZLE CAPS, SERVICE
  TOOLS & TAMPER RESISTANT HARDWARE
- 4- BOND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
  MEETS ADA ACCESSIBILITY GUIDELINES
  MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO
AQUATIC INC.





ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)				
2013.11.26		SURFACE MOUNTED		
UNIT	SHEET	DRAWING NO	REV	
INCH				
[ C M ]	1/2	03112-02-D15	01	

2

Nirbo Aquatic Inc. Tel: I-905-766-4474, Fax: I-905-766-4467, Web: www.nirbo.com





NOTES:

A

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.	IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	DATE (yyyy.mm.dd) 2018.10.24	SURFACE MOUNTED INSTALLATION, 3" & 4" PIPES		
1 (())		UNIT INCH [mm]	SHEET   /	DRAWING NO 0 3 0 0 8 - 3 3	REV 0

2

ı

Ι

В