


Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Lio	mid	Jail-03	3   031	130-03
LIV	lulu	Jaii-U		100-00

GPM	Max PSI	LPM	Max Bar
120	5	480	0.35
Width	Length	Height	
100" (253 cm)	100" (253 cm	) 7" (17 cm)	1


## Nirbo Aquatic Inc.





В

Α




Ι

FOR FOOTING DETAILS SEE DRAWING NO: 03008-07

В

96 [243.84] Ø3.5 [8.89]



FLOW (5-10 PSI)	LOW	NORMAL
GPM	85	120

- I- STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES
- 2- FINISH: NO COATING
- 3- PRODUCT INCLUDES:
  ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
  SPRAY NOZZLES
  WINTER NOZZLE CAPS
  SERVICE TOOLS
  TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
  MEETS ADA ACCESSIBILITY GUIDELINES
  MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO
AQUATIC INC.




ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)				
2013.10.30	LIQUID JAIL-03			
UNIT	SHEET	DRAWING NO	REV	
INCH				
[ C M ]	1/2	03130-03-D15	01	

2

.

В



## NOTES:

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.  ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	DATE (yyyy.mm.dd) 2019.09.03	I N	STALLATION, GROUND FEAT	URE
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	INCH [mm]	SHEET	DRAWING NO 0 3 0 0 8 - 0 7	REV 03

2