


Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

## Liquid Arch | 03131


GPM	PSI	LPM	Bar
4	5	16	0.35
Width Length		Height	
3" (8 cm)	7" (18 cm)	5" (12 cn	า)

## Nirbo Aquatic Inc.






В



Ι

В

Α




FLOW (5-10 PSI)	LOW	NORMAL
GPM	3	4

I - STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES

2- FINISH: NO COATING

3- PRODUCT INCLUDES:
ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
SPRAY NOZZLES
WINTER NOZZLE CAPS
SERVICE TOOLS
TAMPER RESISTANT HARDWARE

- 4- BOND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
  MEETS ADA ACCESSIBILITY GUIDELINES
  MEETS CURRENT ASTM F1487 SAFETY STANDARDS



NIRBO AQUATIC INC.

•	
-	


ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.


DATE (yyyy.mm.dd)			
2013.11.29		LIQUID ARCH	
UNIT	SHEET	DRAWING NO	REV
INCH			
[CM]	1/2	03131-01-015	0 1

2


В

Nirbo Aquatic Inc. Tel: I-905-766-4474, Fax: I-905-766-4467, Web: www.nirbo.com





DETAIL A SCALE 1:2



## NOTES:

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.	IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	DATE (yyyy.mm.dd) 2013.10.21	yyyy.mm.dd)			
		UNIT INCH [CM]	SHEET	03008-24	REV 0 1	

2