


Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Double Jets | 03134

GPM	PSI	LPM	Bar
7	5	28	0.35
Width	Length	Height	
4" (10 cm)	7" (18 cm)	6" (16 cn	n)


Nirbo Aquatic Inc.






В

Α



1

В



RI8 [477]

RI8 [46]

SPRAY SCALE I:100

SPRAY ZONE

FLOW RATE AT 5 PSI	LOW	NORMAL	HIGH
GPM-[LPM]	5[20]	7[28]	10[40]

- I- STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES
- 2- FINISH: NO COATING
- 3- PRODUCT INCLUDES:
 ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
 SPRAY NOZZLES
 WINTER NOZZLE CAPS
 SERVICE TOOLS
 TAMPER RESISTANT HARDWARE
- 4- BOND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
 MEETS ADA ACCESSIBILITY GUIDELINES
 MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO
AQUATIC INC.




ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.


DATE (yyyy.mm.dd) 2013.11.29		DOUBLE JETS	
UNIT INCH	SHEET	DRAWING NO	REV
[CM]	1/2	03134-01-015	01

2

ı

В





GROUND LEVEL GROUND LEVEL LINE (BY OTHERS). COMPACTED GRANULAR UNDISTURBED SOIL SECTION A - A CONCRETE FOOTING CONCRETE PAD

NOTES:

A

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.	IN THIS DOCUMENT IS PROPERTY	DATE (yyyy.mm.dd) 2013.10.21	INSTALLATION, GROUND FEATURE		
	COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	UNIT INCH [CM]	SHEET /	DRAWING NO 0 3 0 0 8 - 2 3	REV O

2

ı