


Nirbo water features are made from high quality stainless steel material, are very durable and have excellent fun factor.

There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

## **Pinwheel Flowers** | 03303


GPM	PM PSI		<b>Bar</b> 0.7
20 10		80	
Width	Length	Height	
30" (76 cm)	69" (175 cm	) 147" (37:	3 cm)





В


Α



FOR FOOTING DETAILS SEE-DRAWING NO: 03008-33 THIS LEG ONLY WATER INLET

> USE 1/2" SS DROP-IN-ANCHORS FOR SURFACE MOUNT (BY NIRBO)

В



-IMPORTANT:

FINAL GRADE; SURFACE MUST

BE FLAT 1/8" [0.3 CM]


BETWEEN TWO LEGS

FLOW RATE AT 5 PSI	LOW	NORMAL	HIGH
GPM-[LPM]	8[32]	12[48]	18[72]

- I- STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:


ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE, NOZZLES, WINTER NOZZLE CAPS, SERVICE TOOLS & TAMPER RESISTANT HARDWARE

- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
  MEETS ADA ACCESSIBILITY GUIDELINES
  MEETS CURRENT ASTM F1487 SAFETY STANDARDS



144

NIRBO AQUATIC INC.




ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)	FROG-02			
2013.10.23		SURFACE MOUNTED		
UNIT	SHEET	DRAWING NO	REV	
INCH				
[ C M ]	1/2	03306-02-DI5	0.1	

2

В



## NOTES:

A

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

	DATE (yyyy.mm.dd) 2018.10.24	SURFACE MOUNTED INSTALLATION, 3" & 4" PIPES		
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	INCH [mm]	SHEET	DRAWING NO 03008-33	REV 0

2

1