


Nirbo water features are made from high quality stainless steel material, are very durable and have excellent fun factor.


There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Water Wheel Flower | 03357

GPM	PSI	LPM	Bar 0.7
20	10	80	
Width	Length	Height	
30" (76 cm)	71" (180 cm) 149" (378	cm)










В

Α







1

	FLOW (5-10 PSI)	LOW	NORMAL	HIGH	
GPM-[LPM]		15[57]	20[76]	30[115]	

I- STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES BEARINGS: BRONZE

BUCKET: FRP


2- FINISH: UV RESISTANT POLYESTER POWDER COATING

3- PRODUCT INCLUDES:
ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
SPRAY NOZZLES
WINTER NOZZLE CAPS
SERVICE TOOLS
TAMPER RESISTANT HARDWARE

4- GROUND COMPONENT WITH #6 BARE COPPER WIRE

5- PRODUCT COMPLIANCE:
MEETS ADA ACCESSIBILITY GUIDELINES
MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO	
AQUATIC INC.	



ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)				
2013.11.13		SURFACE MOUNTED		
UNIT	SHEET	DRAWING NO	REV	
INCH				
[C M]	1/2	03357-02-DI5	0 1	


2

ı

Α

В

В



NOTES:

A

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

A OLIA TIO INIO	DATE (yyyy.mm.dd) 2018.10.24	SURFACE MOUNTED INSTALLATION, 3" & 4" PIPES		
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	INCH [mm]	SHEET DR	03008-33	REV 0

2