


Nirbo water features are made from high quality stainless steel material, are very durable and have excellent fun factor.


There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.


## **Liquid Pinwheel** | 03363

PSI	LPM	Bar
10	40	0.7
Length	Height	
44" (112 cm	) 149" (37	3 cm)
	10  Length	10 40









FLOW (5-10 PSI)	LOW	NORMAL	HIGH
GPM-[LPM]	7[28]	10[40]	15[60]

1

В

Α

- I- STRUCTURE: TYPE 304 STAINLESS STEEL
  NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES
  BEARINGS: BRONZE
  BUCKET: FRP
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
  ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
  SPRAY NOZZLES
  WINTER NOZZLE CAPS
  SERVICE TOOLS
  TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
  MEETS ADA ACCESSIBILITY GUIDELINES
  MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO
AQUATIC INC.

Α




ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)	LIQUID PINWHEEL				
2013.11.19		SURFACE MOUNTED			
UNIT	SHEET	DRAWING NO	REV		
INCH					
[ C M ]	1/2	03363-02-DI5	01		

2

.

В



## NOTES:

A

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

AQUATIC INC.  ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	(yyyy.mm.dd) 2018.10.24		FACE MOUNTED INSTALLATION 3" & 4" PIPES	N,
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	INCH [mm]	SHEET   /	DRAWING NO 03008-33	REV O I

SECTION A-A

2

.