

Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Letter B | 03462

GPM	Max PSI	LPM	Max Bar
20	10	80	0.7
Width	Length	Height	
30" (76 cm)	10" (25 cm)	137" (34	8 cm)


Nirbo Aquatic Inc.

2400 Lucknow Drive, unit 39, Mississauga, ON L5S 1T9, Canada Toll Free: 1.888.68.NIRBO (64726) | Tel: 1.905.766.4474 | Fax: 1.905.766.4467

1.905.700.4407


Website: www.nirbo.com | Email: info@nirbo.com






В


Α





В

Α



FLOW (5-10 PSI)	LOW	NORMAL	HIGH
GPM-[LPM]	14[56]	20[80]	30[120]

- I STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS OR STAINLESS STEEL
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
 ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
 SPRAY NOZZLES
 WINTER NOZZLE CAPS
 SERVICE TOOLS
 TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
 MEETS ADA ACCESSIBILITY GUIDELINES
 MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO	
AQUATIC INC.	

|--|

ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.


DATE (yyyy.mm.dd)	LETTER B,		
2016.01.07	SURFACE MOUNTED		
UNIT	SHEET	DRAWING NO	REV
INCH			
[C M]	1/2	03462-02-DI5	01

2

1



Nirbo Aquatic Inc. Tel: I-905-766-4474, Fax: I-905-766-4467, Web: www.nirbo.com



-TOE GUARD NIRBO AQUATIC -SPRAY FEATURE SEE DETAIL A GROUND LEVEL-CONCRETE--SUPPLY LINE 1% SLOPE FOR COMPACTED-WINTERIZATION GRANULAR (BY OTHERS) 10.8 12 [27] [30] $M \mid N$ 24 [6] CONCRETE [| 0 |] FOOTING UNDISTURBED-SOIL SECTION A-A -STEEL REINFORCED CONCRETE FOOTING

NOTES:

Α

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.	IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	DATE (yyyy.mm.dd) 2013.10.21	SURFACE MOUNTED INSTALATION, 3" & 4" PIPES		
		UNIT INCH [CM]	SHEET	DRAWING NO 03008-33	REV 0

2

1

В

Α