

Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Shark Fin | 03489

GPM	Max PSI	LPM	Max Bar
20	10	80	0.7
Width	Length	Hei	ight
10" (25 cm)	64" (162 cm)	73"	(186 cm)


Nirbo Aquatic Inc.



В

Α

NIRBO



AQUATIC INC. SURFACE MOUNTED 2016.01.07 MAY NOT BE REPRODUCED OR UNIT DRAWING NO SHEET COMMUNICATED WITHOUT INCH PERMISSION IN WRITING FROM NIRBO AQUATIC INC. [CM]1/2 03489-02-DI5 2

ALL INFORMATION CONTAINED

IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND

DATE

(yyyy.mm.dd)

MEETS CURRENT ASTM F1487 SAFETY STANDARDS


SAIL

REV

0 1



Nirbo Aquatic Inc. Tel: I-905-766-4474, Fax: I-905-766-4467, Web: www.nirbo.com



NOTES:

A

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.

[| 0 |]

UNDISTURBED-

SOIL

4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.	IN THIS DOCUMENT IS PROPERTY	DATE (yyyy.mm.dd) 2013.10.21	SURFACE MOUNTED INSTALLATION, 3" & 4" PIPES		
	COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	INCH [CM]	SHEET	DRAWING NO 0 3 0 0 8 - 3 3	REV 0

SECTION A-A

2

1

[61] CONCRETE

FOOTING

SEE

DETAIL A

-STEEL REINFORCED

CONCRETE FOOTING

1