


Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.


Single Lilly-02 | 03716


GPM	Max PSI	LPM	Max Bar
12	10	48	0.7
Width	Length	Height	
37" (95 cm)	42" (106 cm)	129 (3270	:m)

Nirbo Aquatic Inc.









В

FLOW (5-10 PSI)	LOW	NORMAL	HIGH
GPM-[LPM]	14[56]	20[80]	30[120]

I - STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES

FLOWER: TRANSLUCENT ACRYLIC

2- FINISH: UV RESISTANT POLYESTER POWDER COATING

3- PRODUCT INCLUDES:

ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE

SPRAY NOZZLES

WINTER NOZZLE CAPS

SERVICE TOOLS

TAMPER RESISTANT HARDWARE

4- GROUND COMPONENT WITH #6 BARE COPPER WIRE


5 - PRODUCT COMPLIANCE:

MEETS ADA ACCESSIBILITY GUIDELINES MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO AQUATIC INC.

Α

ZONE



ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.


Ø 144 [3658]

DATE (yyyy.mm.dd)	SINGLE LILLY-02,				
2019.02.01		SURFACE MOUNTED			
UNIT	SHEET	DRAWING NO	REV		
INCH					
[mm]	1/2	03716-02-D15	01		

2

SCALE 1:50

В



NOTES:

A

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

A OLIA TIO INIO	DATE (yyyy.mm.dd) 2018.10.24		ACE MOUNTED INSTALLATION 3" & 4" PIPES)N,
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	UNIT INCH [mm]	SHEET /	DRAWING NO 0 3 0 0 8 - 3 3	REV O I

2