




Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.


## Palm Tree Buckets | 03717


GPM	Max PSI	LPM	Max Bar
20	10	80	0.7
Width	Length	Height	
55" (141 cm)	62" (157 cm)	136 ( 346	Scm)

## Nirbo Aquatic Inc.










1

В



FLOW (5-10 PSI)	LOW	NORMAL	HIGH
GPM-[LPM]	14[56]	20[80]	30[120]

- I- STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS OR STAINLESS STEEL
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
  ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
  SPRAY NOZZLES
  WINTER NOZZLE CAPS
  SERVICE TOOLS
  TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
  MEETS ADA ACCESSIBILITY GUIDELINES
  MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIKBO	
AQUATIC INC.	

Α

$\bigcirc$	$\overline{}$


ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)	PALM TREE BUCKETS,			
2019.01.15	SURFACE MOUNTED			
UNIT	SHEET	DRAWING NO	REV	
INCH				
[ mm ]	1/2	037 7-02-D 5	01	

2

ı

В



## NOTES:

A

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

A OLIA TIO INIO	DATE (yyyy.mm.dd) 2018.10.24	SURFACE MOUNTED INSTALLATION, 3" & 4" PIPES		
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	UNIT INCH [mm]	SHEET   /	DRAWING NO 0 3 0 0 8 - 3 3	REV O I

2