




Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.


Lobster | 03719

| GPM | Max PSI | LPM | Max Bar |
|--------------|--------------|-----------|---------|
| 30 | 10 | 120 | 0.7 |
| Width | Length | Height | |
| 76" (192 cm) | 72" (182 cm) | 106 (268 | cm) |

Nirbo Aquatic Inc.







В

Α

FOR FOOTING DETAILS SEE-DRAWING NO:03008-33 THIS LEG ONLY WATER INLET USE 1/2"SS DROP-IN-ANCHORS FOR USABLE MOUNT (BY NIRBO)

В

Ι

IMPORTANT: FINAL GRADE; SURFACE MUST BE FLAT 1/8" (0.3 CM) BETWEEN TWO LEGS


> FLOW (5-10 PSI) LOW NORMAL GPM 20 30

I - STRUCTURE: TYPE 304 STAINLESS STEEL. NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES

2- FINISH: UV RESISTANT POLYESTER POWDER COATING

3- PRODUCT INCLUDES: ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE SPRAY NOZZLES WINTER NOZZLE CAPS SERVICE TOOLS TAMPER RESISTANT HARDWARE

- 5- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 6 PRODUCT COMPLIANCE: MEETS ADA ACCESSIBILITY GUIDELINES MEETS CURRENT ASTM F1487 SAFETY STANDARDS



SCALE 1:50

NIRBO AQUATIC INC.


| 1 | |
|----------|--|
| | $\overline{}$ |
| +(+) | |
| \smile | $\overline{}$ |

ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.

| DATE (yyyy.mm.dd) | | | | |
|----------------------|---------|--------------|-----|--|
| 2015.12.24 | LOBSTER | | | |
| UNIT | SHEET | DRAWING NO | REV | |
| [CM] | 1/2 | 03719-02-D15 | А | |

2

В



NOTES:

A

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.

SOIL

4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

| AQUATIC INC. ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR | DATE (yyyy.mm.dd) 2018.10.24 | | FACE MOUNTED INSTALLATION 3" & 4" PIPES | ON, |
|---|------------------------------------|-------|---|-------|
| COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC. | INCH [mm] | SHEET | DRAWING NO 03008-33 | REV 0 |

[6|0]

SECTION A-A

2

1

-REINFORCED CONCRETE FOOTING