




Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Lilly Pad-01 | 03732

GPM	Max PSI	LPM	Max Bar
8	5	32	0.35
Width	Length	Height	
24" (60 cm)	24" (60 cm)	5" (11 cm)	

Nirbo Aquatic Inc.






В

Α



В

DRAWING NO: 03008-24



Ø 96 [244]

SCALE 1:40

2

FLOW (5-10 PSI)	LOW	NORMAL
GPM	5	8

I - STRUCTURE: TYPE 304 STAINLESS STEEL

COVER: ENGINEERING POLYMER

NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES

2- FINISH: NO COATING

3- PRODUCT INCLUDES:

ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE, NOZZLES, WINTER NOZZLE CAPS, SERVICE TOOLS & TAMPER RESISTANT HARDWARE

4- BOND COMPONENT WITH #6 BARE COPPER WIRE

5- PRODUCT COMPLIANCE: MEETS ADA ACCESSIBILITY GUIDELINES MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO AQUATIC INC.

SPRAY


ZONE


ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.

DATE (yyyy.mm.dd) LILLY PAD-01 2013.11.29 SHEET DRAWING NO REV UNIT INCH [CM]1/2 03732-01-D15 0 1


В

Nirbo Aquatic Inc. Tel: I-905-766-4474, Fax: I-905-766-4467, Web: www.nirbo.com





DETAIL A SCALE 1:2



NOTES:

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

AQUATIC INC. AQUATIC INC. ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	(yyyy.mm.dd) 2013.10.21	INSTALLATION, GROUND FEATURE
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	INCH [CM]	SHEET

2

ı