



Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Five Liquid Arches 03758				
GPM	Max PSI	LPM	Max Bar	
15	5	60	0.35	
Width	Length	ا	Height	
8" (21 cm)	56" (142 cr	n)	7" (18 cm)	


Nirbo Aquatic Inc.








В





Α

FLOW RATE AT 5 PSI	LOW	NORMAL	HIGH
GPM-[LPM]	9[36]	15{48]	18[72]

- I STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TEMPER RESISTANT FEATURES
- 2- FINISH: NONE
- 3- PRODUCT INCLUDES:
 ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
 SPRAY NOZZLES
 WINTER NOZZLE CAPS
 SERVICE TOOLS
 TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
 MEETS ADA ACCESSIBILITY GUIDELINES
 MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO AQUATIC INC.	OF NIRBO AQUATIC INC. AND	DATE (yyyy.mm.dd) 2013.11.29		FIVE LIQUID ARCHES	
	-MAY NOT BE REPRODUCED OR COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	UNIT INCH [CM]	SHEET	DRAWING NO 0 3 7 5 8 - 0 1 - D 1 5	REV 0 I


2


1

1

В

Nirbo Aquatic Inc. Tel: I-905-766-4474, Fax: I-905-766-4467, Web: www.nirbo.com





NOTES:

A

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.	IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	DATE (yyyy.mm.dd) 2013.10.21	INSTALLATION, GROUND FEATURE		
		UNIT INCH [CM]	SHEET	DRAWING NO 0 3 0 0 8 - 28	REV 0

2

ı