


Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.


Marsh-01 | 03767


GPM	Max PSI	LPM	Max Bar
15	10	60	0.7
Width	Length	Height	
40" (1005 mm)	42" (1057 mn	n) 129" (327	5 mm)

Nirbo Aquatic Inc.










1

В



FLOW	(5-10	PSI)	LOW	NORMAL
	GPM		10	15

- I STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: STAINLESS STEEL
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
 ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
 SPRAY NOZZLES
 WINTER NOZZLE CAPS
 SERVICE TOOLS
 TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
 MEETS ADA ACCESSIBILITY GUIDELINES
 MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIRBO	
AQUATIC INC.	

Α

	\Box
\bigcirc	


ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)			
2019.02.07		MARSH-01	
UNIT	SHEET	DRAWING NO	REV
INCH [mm]	1/2	03767-02-D15	0

2

.

В



NOTES:

A

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

AQUATIC INC. AQUATIC INC. ALL INFORMATION CONTAINED IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND MAY NOT BE REPRODUCED OR	DATE (yyyy.mm.dd) 2018.10.24		SURFACE MOUNTED INSTALLATION, 3" & 4" PIPES		
COMMUNICATED WITHOUT PERMISSION IN WRITING FROM NIRBO AQUATIC INC.	INCH [mm]	SHEET	DRAWING NO 0 3 0 0 8 - 3 3	REV 0 I	

2

_