



Nirbo water features are made from high quality stainless steel and engineering plastics materials, therefore they are very durable and have excellent fun factor. There are over one hundred different water features to choose from, this product is just a great example. We use brass or stainless steel nozzles which are ideal materials for the application.

Hook-02 | 03774


GPM	Max PSI	LPM	Max Bar	
20	10	80	0.7	
Width	Length	Height		
10" (254 mm)	43" (1086 mn	n) 56" (1416	mm)	


Nirbo Aquatic Inc.




В

Α








В


Ι



FLOW (5-10 PSI)	LOW	NORMAL	HIGH
GPM-[LPM]	15[60]	20[80]	30[120]

- I- STRUCTURE: TYPE 304 STAINLESS STEEL NOZZLE: BRASS WITH TAMPER RESISTANT FEATURES
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
 ANCHOR BOLTS WITH HARDWARE AND FOOTING
 TEMPLATE, NOZZLES, WINTER NOZZLE CAPS, SERVICE
 TOOLS & TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE
- 5- PRODUCT COMPLIANCE:
 MEETS ADA ACCESSIBILITY GUIDELINES
 MEETS CURRENT ASTM F1487 SAFETY STANDARDS

NIKBO	
AQUATIC INC.	



ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.

DATE (yyyy.mm.dd)	HOOKED			
2019.05.17		SURFACE MOUNTED		
UNIT	SHEET	DRAWING NO	REV	
INCH [mm]	1/2	03774-02-DI5	0	

2

Nirbo Aquatic Inc.
Tel: 1-905-766-4474, Fax: 1-905-766-4467, Web: www.nirbo.com

| 1/2"| ANCHOR | BOLT | CONCRETE FOOTING


ANCHOR
BOLT

NUT

LOCK
WASHER

FLAT
WASHER

DETAIL A
SCALE 1:2



Ι

В

NIRBO-WATER FEATURE -I-I/2" FEMALE NPT CONNECTION REINFORCED --SEE DETAIL A CONCRETE SLAB GROUND LEVEL--I-I/2" SUPPLY LINE (BY OTHERS) 6 [152] -18 [457] 12 [305] -REINFORCEMENT STEEL COMPACTED-GRANULAR -CONCRETE FOOTING UNDISTURBED-SOIL -LOCATING SECTION A-A CONCRETE PAD 16"X16"X4"

NOTES:

A

В

- I- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

NIRBO AQUATIC INC.	IN THIS DOCUMENT IS PROPERTY OF NIRBO AQUATIC INC. AND HMAY NOT BE REPRODUCED OR	DATE (yyyy.mm.dd) 2018.10.24	SURFACE MOUNTED INSTALLATION, 3" & 4" PIPES		
		UNIT INCH [mm]	SHEET	DRAWING NO 03008-33	REV O I

2

ı