





Multi Play-16 | 19466-16-00

GPM	PSI	LPM	Bar
530	10	2120	0.7
Width	Length	Height	
389" (989 cm)	574" (1457 cm)	250" (635 cm)	

Nirbo Aquatic Inc.

2430 Lucknow Drive, unit 14, Mississauga, ON L5S 1V3, Canada
Toll Free: 1.888.68.NIRBO (64726) | Tel: 1.905.766.4474 | Fax: 1.905.766.4467
Website: www.nirbo.com | Email: info@nirbo.com



Multi Play-16 | 19466-16-00

Nirbo Aquatic Inc.

2430 Lucknow Drive, unit 14, Mississauga, ON L5S 1V3, Canada

Toll Free: 1.888.68.NIRBO (64726) | Tel: 1.905.766.4474 | Fax: 1.905.766.4467


Website: www.nirbo.com | Email: info@nirbo.com



Multi Play-16 | 19466-16-00

Nirbo Aquatic Inc.

2430 Lucknow Drive, unit 14, Mississauga, ON L5S 1V3, Canada
Toll Free: 1.888.68.NIRBO (64726) | Tel: 1.905.766.4474 | Fax: 1.905.766.4467
Website: www.nirbo.com | Email: info@nirbo.com



Multi Play-16 | 19466-16-00

Nirbo Aquatic Inc.

2430 Lucknow Drive, unit 14, Mississauga, ON L5S 1V3, Canada

Toll Free: 1.888.68.NIRBO (64726) | Tel: 1.905.766.4474 | Fax: 1.905.766.4467

Website: www.nirbo.com | Email: info@nirbo.com

4



3

2

1


B

B



A


A



FLOW (5-10 PSI)	LOW	NORMAL
GPM	190	280

- 1- STRUCTURE: TYPE 304 STAINLESS STEEL
NOZZLE: BRASS WITH TEMPER RESISTANT FEATURES
BEARINGS: BRONZE
SLIDE: FIBERGLASS
FLOWER AND BUCKETS: FRP
BARRIERS: LEXAN
- 2- FINISH: UV RESISTANT POLYESTER POWDER COATING
- 3- PRODUCT INCLUDES:
ANCHOR BOLTS WITH HARDWARE AND FOOTING TEMPLATE
SPRAY NOZZLES
WINTER NOZZLE CAPS
SERVICE TOOLS
TAMPER RESISTANT HARDWARE
- 4- GROUND COMPONENT WITH #6 BARE COPPER WIRE

**NIRBO
AQUATIC INC.**



ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.

DATE
(yyyy.mm.dd)
2020.11.11

UNIT

INCH

SHEET

1 / 3

DRAWING NO

19466-16-00-D02

REV

A

MULTI PLAY CENTER 16

4

3

2

1


B

B

ITEM	QTY	PART NO	DESCRIPTION	FLOW (GPM)	EXTENDED FLOW(GPM)
1	1	03260-06-02-D02	WATER BLASTER LEFT	15	15
2	2	03260-07-D02	BLASTER DOUBLE AXIS	15	30
3	1	19000-05-D02	SPINNER	15	15
4	2	19000-16-D02	PIN WHEEL	15	30
5	1	19000-17-D02	LIQUID BUCKET	10	10
6	1	19000-35-D02	SLIDE HOOD	0	0
7	4	19000-40-D02	STREAM	20	80
8	1	19000-48-D02	WATER FALL,	20	20
9	2	19000-50-D02	LANDING PAD	0	0
10	1	19466-16-01-D02	HEX DECK 40" HIGH	0	0
11	1	19466-16-03-D02	HEX DECK 48" HIGH	0	0
12	1	19466-16-04-D02	TUBE SLIDE		
13	1	19466-16-05-D02	HEX DECK 48" HIGH	0	0
14	1	19466-16-07-D02	STAIR, TRANSITION	0	0
15	1	19466-16-08-D02	MEGA BUCKET	40	40
16	1	19466-16-11-D02	STAIR, 16" HIGH		
17	1	19466-16-18-02-D02	KIDDY SLIDE	40	40
18	1	19466-16-45-D02	STAIRS	0	0
TOTAL FLOW					280

A

A

**NIRBO
AQUATIC INC.**

ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.

DATE
(yyyy.mm.dd)
2021.10.20

UNIT

INCH

MULTI PLAY CENTER 16

SHEET

2 / 3




DRAWING NO

19466-16-00-D02

REV

A

Nirbo Aquatic Inc.
Tel: 1-905-766-4474, Fax: 1-905-766-4467, Web: www.nirbo.com



NOTES:

- 1- FOLLOW LOCAL CODES, WHEREVER APPLICABLE.
- 2- GRANULAR BASE THICKNESS SHALL MEET LOCAL BUILDING CODE REQUIREMENTS.
- 3- WATER SUPPLY LINE SHALL BE INSTALLED PER LOCAL BUILDING CODES.
- 4- HARDWARE SUPPLIED BY MANUFACTURER SHALL BE USED.

**NIRBO
AQUATIC INC.**

ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.

DATE
(yyyy.mm.dd)

2019.11.27

UNIT

INCH
[mm]

MULTI PLAY MANIFOLD INSTALLATION

SHEET

1/1

DRAWING NO

03008-18-01

REV

01